


2025 DEALER CATALOG



- 7 2025 NEW PRODUCTS
- 8 CLASSIC HUNTING
- 20 MODERN HUNTING
- 40 EVERYDAY CARRY
- 70 POCKET KNIVES
- 76 FISHING & OUTDOORS
- 84 SHARPENERS
- 86 TIN TACKER SIGNS
- 87 BUCK HATS
- 88 BUCK TEES
- 90 KNIFE DISPLAYS
- 92 KNIFE KNOWLEDGE
- 96 SALES TERRITORY MAP
- 97 SKU INDEX




BUCK[®] KNIVES is unapologetically rooted in legacy, committed to craftsmanship, and defined by our customer devotion since 1902. We believe integrity and self-reliance are never out of style. Our brand stands as a bellwether of getting the job done right for over 120 years.



Hoyt Buck

Chuck, CJ, young Josh, and Al Buck

THE LEGACY OF BUCK KNIVES started with Hoyt Buck building knives out of old, worn-out files when he was a blacksmith apprentice in 1902. Three states, seven locations, and five generations later, Buck Knives continues to hand-craft and build knives that withstand the test of time.















T'S NO ACCIDENT that Buck has been around this long, and we don't plan on going anywhere. As technology, process, and the consumer evolve, the Buck team has relentlessly worked to adapt to changes and overcome challenges that have only strengthened our pride in this brand. Our techniques, traditions, and trajectory may look slightly different than they did in the early days, but we remain true to our foundational pillars of craftsmanship, heritage, and authenticity.



CRAFTSMANSHIP • HERITAGE • AUTHENTICITY THE BUCK DIFFERENCE

From our in-house heat treatment to our Forever Warranty, the process of building a knife the Buck way is what makes a Buck knife stand apart from its competition.


PAUL BOS HEAT TREATMENT

Heat treat could be called "temperature treating" since Buck uses a system of hot and cold to get the most from the steel. This system was pioneered by Paul Bos, whose heat treat formulas have proven to be the best in the business. Each blade is tempered to the appropriate Rockwell hardness through a heating, freezing, and reheating system that defines the properties desired from the steel.

"Paul Bos dedicated over five decades to dialing in and perfecting our heat treat process. The proper heat treat is critical to ensure the best balance between hardness for edge retention, ductility and strength for rugged use, and optimization for corrosion resistance. We still rely on Paul's expertise today and religiously follow the time-tested formulas he pioneered."

> -CJ Buck CEO and Chairman, Buck Knives







FOREVER MEANS FOREVER

At Buck, we guarantee our knives forever because we believe in the integrity of our products. It was the philosophy of our founder, Hoyt Buck, that pioneered our Forever Warranty, and we continue to pass it down with each generation. Hoyt recognized what Buck knives have to offer and was committed to making them last.



6

2025 NEW PRODUCTS

14 HERITAGE 100 SERIES
42 RANGE SERIES
61 713 RUCKUS
61 714 STINGER
72 300 SERIES
86 NEW BUCK GEAR

CLASSIC HUNTING

CLASSIC HUNTING

CLOSED LENGTH Crelicam[™] genuine ebony

THE CLASSIC ICON OF HUNTING KNIVES THE 110 FAMILY

The 110 Folding Hunter is a timeless, rugged knife known for its exceptional craftsmanship and durability. Featuring a strong 420HC stainless steel blade and a classic woodgrain handle, this folding knife is a staple for hunters and outdoor enthusiasts alike. With its reliable lockback mechanism and refined design, the 110 offers a perfect balance of performance and tradition.

110 FOLDING HUNTER®



Clip point, 420HC steel BLADE LENGTH

BLADE



3.75" (9.50 cm) **BLADE THICKNESS** 0.120" (0.305 cm) **CLOSED LENGTH** 4.875" (12.38 cm)

EBON STANDARD | BOX MODEL 0110BRS-B CATALOG 9210 | CLAM MODEL 0110BRS-C CATALOG 1268 FINGER GROOVED BOX MODEL 0110BRSFG-B CATALOG 2538





BOX MODEL 0110BRSA-B CATALOG 11197

The sale of automatic knives is federally regulated. See page 97 for details.

BOX MODEL 0110BKSA-B CATALOG 11667

The sale of automatic knives is federally regulated. See page 97 for details.





AUTOMATIO EBON) ENGAGES WITH THI PUSH OF A BUTTOP

AUTOMATIC

ENGAGES WITH THE PUSH OF A BUTTOP

110 AUTO









CLOSED LENGTH 4.875" (12.40 cm) WEIGHT 7.30 oz (206.95 g)

HANDLE Black G10 with brushed. nickel silver bolsters SHEATH Black, genuine leather, made in the USA



110 FOLDING HUNTER® LT



BLADE LENGTH 3.75" (9.53 cm) **BLADE THICKNESS** 0.120" (0.305 cm **CLOSED LENGTH** 4.875" (12.40 cm) WEIGHT 3.20 oz (90.70 g) HANDLE Black, glass-filled nylon SHEATH Black, heavy-duty polyester, imported

BOX MODEL 0110BKSLT-B CATALOG11553 CLAM MODEL 0110BKSLT-C CATALOG11554



11



BLADE Clip point, 420HC steel **BLADE LENGTH** 3.00" (7.60 cm) **BLADE THICKNESS** 0.120" (0.305 cm) CLOSED LENGTH 4.25" (10.80 cm) WEIGHT 5.60 oz (159.40 g) HANDLE Crelicam™ genuine ebony, regular or finger grooved, with brass bolsters SHEATH Black, genuine leather,





imported BOX MODEL 0112BRS-B CATALOG 2632 CLAM MODEL 0112BRS-C CATALOG 1264

COMPACT CAPABILITY FOR THE OUTDOORS THE 112 FAMILY

The Buck 112 Ranger is a compact, yet powerful, folding knife, perfect for hunters, hikers, and outdoor enthusiasts. With its 420HC stainless steel blade and sturdy lockback mechanism, the 112 delivers reliable cutting performance in a portable design. Its durable handle and time-tested construction make it a versatile tool for any adventure.







Clip point, 420HC steel **BLADE LENGTH** 3.00" (7.60 cm) **BLADE THICKNESS** 0.120" (0.305 cm) CLOSED LENGTH 4.25" (10.80 cm) WEIGHT 5.90 oz (167.30 g) HANDLE Crelicam™ genuine ebony with brass bolsters SHEATH Black, genuine leather, made in the USA

BLADE



BOX MODEL 0112BRSA-B CATALOG 11894

The sale of automatic knives is federally regulated. See page 97 for details.

112 AUTO ELITE





MAGNA CUT

BLADE LENGTH 3.00" (7.60 cm)



BOX MODEL 0112BKSA-B CATALOG 11895



BLADE Clip point, MagnaCut steel







BOX MODEL 0102CCS1-B CATALOG 14187

BOX MODEL 0120CCS1-B CATALOG14192

420HC steel 105: Modified clip point, 420HC steel 117: Clip point, 420HC steel 119: Clip point, 420HC steel 120: Clip point, 420HC steel **BLADE LENGTH**

102: Clip point, 420HC steel 103: Extra wide skinner,

BLADE

102: 4.00" (10.20 cm) 103: 4.00" (10.20 cm) 105: 5.00" (12.70 cm) 117: 4.50" (11.40 cm) 119: 6.00" (15.20 cm) 120: 7.375" (18.70 cm) BLADE THICKNESS

102: 0.120" (0.305 cm) 103: 0.120" (0.305 cm) 105: 0.120" (0.305 cm) 117: 0.120" (0.305 cm) 119: 0.175" (0.445 cm) 120: 0.175" (0.445 cm)

OVERALL LENGTH 102: 7.75" (19.70 cm) 103: 8.25" (20.90 cm) 105: 9.125" (23.20 cm) 117: 8.75" (22.00 cm)

119:10.50" (26.70 cm) 120: 12.00" (30.40 cm)

102: 2.60 oz (73.70 g) 103: 4.30 oz (121.90 g) 105: 4.30 oz (121.90 g) 117: 4.90 oz (139.00 g) 119: 7.50 oz (213.50 g) 120: 8.30 oz (235.30 g)

DymaLux® cocobolo, aluminum pommel/guard

Black, genuine leather

The Heritage 100 Series pays homage to Buck's legacy of fixed blade knives that are built for performance and durability. Featuring high-quality, 420HC stainless steel blades and classic DymaLux® cocobolo handles, these knives combine elegance with practicality. Perfect for outdoor enthusiasts

and collectors alike, the Heritage 100 Series delivers trusted reliability with a touch of tradition.





BLADE

102: Clip point, 420HC steel 103: Extra wide skinner, 420HC steel 105: Modified clip point, 420HC steel 117: Clip point, 420HC steel 119: Clip point, 420HC steel 120: Clip point, 420HC steel BLADE LENGTH 102: 4.00" (10.20 cm)

103: 4.00" (10.20 cm) **105:** 5.00" (12.70 cm) **117:** 4.50" (11.40 cm)

119: 6.00" (15.20 cm) 120: 7.375" (18.70 cm) BLADE THICKNESS 102: 0.120" (0.305 cm) 103: 0.120" (0.305 cm) 105: 0.120" (0.305 cm) 117: 0.120" (0.305 cm) 119: 0.175" (0.445 cm)

120: 0.175" (0.445 cm) OVERALL LENGTH

102: 7.75" (19.70 cm)

: 8.25" (20.90 cm) : 9.125" (23.20 cm) : 8.75" (22.00 cm) : 10.50" (26.70 cm)

120: 12.00" (30.40 cm) WEIGHT 102: 2.60 oz (73.70 g) 103: 4.30 oz (121.90 g)

105: 4.30 oz (121.90 g) **117:** 4.90 oz (139.00 g)

119: 7.50 oz (213.50 g) **120:** 8.30 oz (235.30 g)

aluminum pommel/guard

HANDLE Black phenolic,

SHEATH Black, genuine leather

imported



THE CLASSIC PERFORMANCE NEVER GOES OUT OF STYLE THE CLASSIC PERFORMANCE NEVER GOES OUT OF STYLE

Buck's traditional knife designs, characterized by their black phenolic handles and blade profiles, are still the most popular choice among customers. They are unmistakable, undeniably iconic, and have been trusted companions for outdoor enthusiasts, and hunters for generations.



102 BUCK WOODSMAN[®]



BOX MODEL 0102BKS-B CATALOG 2628 CLAM MODEL 0102BKS-C CATALOG 1271

103 SKINNER





BOX MODEL 0103BKS-B CATALOG 2659

105 PATHFINDER®





BOX MODEL 0105BKS-B CATALOG 2535 CLAM MODEL 0105BKS-C CATALOG 1272

117 BRAHMA



-

BOX MODEL 0117BKS-B CATALOG13453 CLAM MODEL 0117BKS-C CATALOG13454

119 SPECIAL®



BOX MODEL 0119BKS-B CATALOG 9207 CLAM MODEL 0119BKS-C CATALOG 1273



BOX MODEL 0120BKS-B CATALOG 2542

16

BLADE LENGTH 4.125" (10.50 cm) BLADE THICKNESS 0.140" (0.356 cm) **OVERALL** 8.50" (21.60 cm)



BLADE Drop point, 420HC steel

WEIGHT 6.30 oz (179.40 g) HANDLE DymaLux[®] walnut with polished, brass pommel and guard SHEATH Brown, genuine leather, imported



BLADE Drop point, 420HC steel

BLADE LENGTH

3.125" (7.90 cm)

7.25" (18.40 cm)

5.20 oz (147.40 g) HANDLE

Crelicam[™] genuine

leather, imported FEATURE Lanyard hole

ebony with brass bolster

OVERALL

WEIGHT

SHEATH Black, genuine

BLADE THICKNESS 0.120" (0.305 cm)

192 VANGUARD

BOX MODEL 0113BRS-B CATALOG 3538 CLAM MODEL 0113BRS-C CATALOG 3597

BUCK

113 RANGER SKINNER

EBONY





BOX MODEL 0192BRS-B CATALOG 2584





BOX MODEL 0691BKG-B CATALOG 2607

imported

ADDERN HUNDENG



PRECISION AND DURABILITY FOR THE MOST DEMANDING HUNTER **THE ALPHA SERIES**

The Alpha Hunter Series offers a perfect blend of strength, sharpness, and reliability. With options in MagnaCut, S35VN, and 420HC, these knives are built for performance in the field. Whether dressing game or tackling tough outdoor tasks, the Alpha Series knives are trusted companions for any hunting adventure.



662 ALPHA SCOUT ELITE



2.875" (7.30 cm) **BLADE THICKNESS** 0.140" (0.356 cm) OVERALL 6.50" (16.51 cm) WEIGHT 3.10 oz (87.90 g) HANDLE Black, machine-textured G10 SHEATH Black Kydex with belt attachment for multiple

carry options, imported

MAGNA CUT

Drop point, flat grind blade

with jimping, MagnaCut steel **BLADE LENGTH**

BLADE

ODERN


HUNTING

BOX MODEL 0662BKS-B CATALOG13782

663 ALPHA GUIDE ELITE

664 ALPHA HUNTER ELITE

BUCK TE USA





HANDLE Black, machine-textured G10 SHEATH Black Kydex with belt attachment for multiple carry options, imported

MAGNA CUT

BOX MODEL 0663BKS-B CATALOG 13783



BLADE Drop point, flat grind blade with jimping, MagnaCut steel **BLADE LENGTH** 3.75" (9.53 cm) **BLADE THICKNESS** 0.140" (0.356 cm) OVERALL 8.125" (20.64 cm) WEIGHT 5.20 oz (147.40 g) HANDLE Black, machine-textured G10 SHEATH Black Kydex with belt attachment for multiple carry options, imported

> MAGNA CUT

BOX MODEL0664BKS-B CATALOG13784

Machine-textured Richlite or DymaLux® walnut SHEATH

BLADE Drop point, flat grind blade with jimping, S35VN steel **BLADE LENGTH** 4.375" (11.11 cm) **BLADE THICKNESS** 0.140" (0.356 cm) OVERALL 9.00" (22.86 cm) WEIGHT 5.00 oz (141.70 g) HANDLE

Burgundy, genuine

leather, made in the USA

RICHLITE BOX MODEL 0663BRS-B CATALOG 13622 WALNUT BOX MODEL 0663WAS-B CATALOG 13623

663 ALPHA GUIDE PRO

BUCK T USA

BUCK T USA

664 ALPHA HUNTER PRO BLADE Drop point, flat grind blade with jimping, S35VN steel **BLADE LENGTH** 3.625" (9.21 cm) **BLADE THICKNESS** O W INCOMMUNICATION 0.140" (0.356 cm) BUCK TE USA OVERALL 8.125" (20.64 cm) WEIGHT 4.59 oz (130.10 g) HANDLE Machine-textured Richlite or DymaLux® walnut SHEATH Burgundy, genuine leather, made in the USA BUCK T USA

> RICHLITE BOX MODEL 0664BRS-B CATALOG 13465 WALNUT BOX MODEL 0664WAS-B CATALOG 13466

662 ALPHA SCOUT PRO



RICHLITE BOX MODEL 0662BRS-B CATALOG 13463 WALNUT BOX MODEL 0662WAS-B CATALOG 13464

USA

662.1

BLADE

Drop point, flat grind blade

with jimping, S35VN steel

BLADE LENGTH 2.875" (7.30 cm)

BLADE THICKNESS

0.140" (0.356 cm)

6.50" (16.51 cm)

2.79 oz (79.10 g)

Machine-textured Richlite

leather, made in the USA

or DymaLux® walnut

Burgundy, genuine

OVERALL

WEIGHT

HANDLE

SHEATH

662 ALPHA SCOUT PRO WALNUT | 0662WAS-B | 13464


24

BLADE Drop point, hollow grind BLADE THICKNESS



blade with jimping, 420HC steel **BLADE LENGTH** 3.625" (9.21 cm) 0.140" (0.356 cm) OVERALL 8.375" (21.27 cm) WEIGHT 4.85 oz (137.50 g) HANDLE Glass-filled nylon with VersaFlex SHEATH Black polyester with leather accents, imported

GRAY BOX MODEL 0664GYS-B CATALOG13736 CLAM MODEL 0664GYS-C CATALOG13737 ORANGE BOX MODEL 06640RS-B CATALOG 13728 CLAM MODEL 06640RS-C CATALOG 13729



BLADE

Drop point, hollow grind

blade with jimping,

BLADE LENGTH

2.875" (7.30 cm)

0.140" (0.356 cm)

6.50" (16.51 cm)

2.90 oz (82.10 g)

Glass-filled nylon

with VersaFlex

Black polyester

with leather accents,

OVERALL

WEIGHT

HANDLE

SHEATH

imported

BLADE

Drop point, hollow grind

blade with jimping,

BLADE THICKNESS

420HC steel



BLADE Guthook, hollow grind blade with jimping, 420HC steel **BLADE LENGTH** 3.75" (9.53 cm) **BLADE THICKNESS** 0.140" (0.356 cm) OVERALL 8.375" (21.27 cm) WEIGHT 4.85 oz (137.50 g) HANDLE Glass-filled nylon with VersaFlex SHEATH Black polyester with leather accents, imported

GRAY BOX MODEL 0664GYG-B CATALOG13734 CLAM MODEL 0664GYG-C CATALOG13735 ORANGE BOX MODEL06640RG-B CATALOG13726 CLAM MODEL06640RG-C CATALOG13727

420HC steel **BLADE LENGTH** 4.375" (11.11 cm) **BLADE THICKNESS** 0.140" (0.356 cm) BUCK TO USA 10 OVERALL 9.125" (23.18 cm) WEIGHT 5.05 oz (143.20 g) HANDLE Glass-filled nylon with VersaFlex SHEATH Black polyester BUCK TO USA with leather accents, imported

662 ALPHA SCOUT SELECT

BUCK T USA

663 ALPHA GUIDE SELECT

BUCK TE USA

GRAY BOX MODEL 0663GYS-B CATALOG 13732 CLAM MODEL 0663GYS-C CATALOG 13733 ORANGE BOX MODEL 06630RS-B CATALOG 13724 CLAM MODEL 06630RS-C CATALOG 13725

THE PAKLITE SERIES

The PakLite Series offers durable, high-performance knives designed for hunters, campers, and outdoor enthusiasts. Known for their lightweight, minimalist construction, these knives feature a variety of blade shapes ideal for field dressing, skinning, and outdoor tasks. Whether you're heading into the wilderness or need a reliable tool for everyday use, the PakLite Series delivers exceptional value without compromising quality.

631 & 635 PAKLITE FIELD KIT




 BLACKPAKLITES
 BOX
 MODEL 0631BKSVP-B
 CATALOG13819

 ORANGE PAKLITES
 BOX
 MODEL 06310RSVP-B
 CATALOG13820

 O.D.GREEN PAKLITE PROS
 BOX
 MODEL 0631GRSVP-B
 CATALOG13821





BLADE Boning, S35VN steel BLADE LENGTH 5.75" (14.61 cm) BLADE THICKNESS 0.150" (0.381 cm) OVERALL 9.50" (24.13 cm) WEIGHT 2.82 oz (79.95 g) HANDLE O.D. green micarta SHEATH Black polypropylene, imported

BOX MODEL 0636GRS-B CATALOG 13513

BUCK TE US

MODERN HUNTING

BUCK IT USA BUCK IT USA	6.75" (17.15 cm) WEIGHT 1.76 oz (49.90 g) HANDLE Glass-filled nylon SHEATH Black polypropylene, imported	BUCK IT USA BUCK IT USA			
BLACKBOXMODEL 0630BKS-BCATALOG13496CLAMMODEL 0630BKS-CCATALOG13497ORANGEBOXMODEL 06300RS-BCATALOG13499CLAMMODEL 06300RS-CCATALOG13500		BLACKBOXMODEL 0635BKS-BCATALOG 13506CLAMMODEL 0635BKS-CCATALOG 13507ORANGEBOXMODEL 06350RS-BCATALOG 13509CLAMMODEL 06350RS-CCATALOG 13510			
631 PAKLITE FIELD SELECT	BLADE Skinner, 420HC steel BLADE LENGTH	636 PAKLITE PROCESSOR SELECT			
BUCK TH USA	4.00" (10.16 cm) BLADE THICKNESS 0.150" (0.381 cm) OVERALL 8.25" (20.96 cm) WEIGHT 3.10 oz (87.88 g) HANDLE Glass-filled nylon SHEATH Black polypropylene, imported	BUCK TO USA			
BUCK' TA' U SA		BUCK' THE USA			
BLACK BOX MODEL 0631BKS-B CATALOG13501 CLAM MODEL 0631BKS-C CATALOG13502		BLACK BOX MODEL 0636BKS-B CATALOG 13511 CLAM MODEL 0636BKS-C CATALOG 13512			

BLADE

Drop point, 420HC steel

BLADE LENGTH 2.75" (6.99 cm) **BLADE THICKNESS**

0.110" (0.279 cm)

OVERALL

630 PAKLITE HIDE SELECT



ORANGE BOX MODEL 06360RS-B CATALOG 13514 CLAM MODEL 06360RS-C CATALOG 13515

635 PAKLITE CAPE SELECT

ORANGE BOX MODEL 06310RS-B CATALOG 13504 CLAM MODEL 06310RS-C CATALOG 13505

30

BLADE

Drop point, 420HC steel BLADE LENGTH 2.75" (6.99 cm)

BLADE THICKNESS

0.110" (0.279 cm)

7.125" (18.10 cm)

1.59 oz (45.08 g) HANDLE Glass-filled nylon SHEATH Black polypropylene, imported

OVERALL

WEIGHT

BLADE Boning, 420HC steel



656 PURSUIT PRO LARGE



BOX MODEL 06560RS-B CATALOG 12751

BOX MODEL 06570RG-B CATALOG 12752

BOX MODEL 06580RS-B CATALOG 12753

657 PURSUIT PRO LARGE GUTHOOK

BUCK T USA

BUCK TUSA

659 FOLDING PURSUIT PRO LARGE

658 PURSUIT PRO SMALL







659, 660, 661

BLADE 656: Drop point, S35VN steel 657: Guthook, S35VN steel 659: Drop point, S25VN steel

657: Guthook, S35VN steel 658: Drop point, S35VN steel 659: Drop point, S35VN steel 660: Guthook, S35VN steel 661: Drop point, S35VN steel

BLADE LENGTH 656: 4.50" (11.40 cm) **657:** 4.50" (11.40 cm) **658:** 3.75" (9.50 cm) **659:** 3.625" (9.20 cm) **660:** 3.50" (9.20 cm) **661:** 3.00" (7.60 cm)

BLADE THICKNESS 656: 0.140" (0.356 cm)

657: 0.140" (0.356 cm) 658: 0.100" (0.254 cm) 659: 0.120" (0.305 cm) 660: 0.120" (0.305 cm) 661: 0.120" (0.305 cm)

OVERALL LENGTH 656: 9.50" (24.10 cm) **657:** 9.50" (24.10 cm) **658:** 8.00" (20.30 cm)

CLOSED LENGTH 659: 5.00" (12.70 cm) 660: 5.00" (12.70 cm) 661: 4.375" (11.10 cm) WEIGHT 656: 6.40 oz (181 50 c)

656: 6.40 oz (181.50 g) **657:** 6.40 oz (181.50 g) **658:** 3.30 oz (93.50 g) **659:** 3.80 oz (107.70 g) **660:** 3.60 oz (102.00 g) **661:** 2.50 oz (72.00 g)

HANDLE Glass-filled nylon with VersaFlex SHEATH Black, heavy-duty polyester, imported

THE PURSUIT SERIOUS OUTDOORSMAN

The Pursuit Series combines strength, comfort, and precision for hunters and outdoor adventurers. Featuring highly tactile ergonomic handles, these knives excel in both durability and ease of use. Whether tackling tough fieldwork or everyday cutting tasks, the Pursuit Series is built to perform under pressure.







BOX MODEL 06600RG-B CATALOG 12755

661 FOLDING PURSUIT PRO SMALL



BOX MODEL 06610RS-B CATALOG 12756

656, 657, 658 659, 660, 661

656: Drop point, 420HC steel 657: Guthook, 420HC steel 658: Drop point, 420HC steel 659: Drop point, 420HC steel 660: Guthook, 420HC steel 661: Drop point, 420HC steel

BLADE LENGTH 656: 4.50" (11.40 cm) 657: 4.50" (11.40 cm) 658: 3.75" (9.50 cm) 659: 3.625" (9.21 cm) 660: 3.50" (8.89 cm) 661: 3.00" (7.60 cm) **BLADE THICKNESS**

661: 0.120" (0.305 cm)

OVERALL LENGTH 656: 9.50" (24.10 cm) 657: 9.50" (24.13 cm) 658: 8.00" (20.32 cm)

polyester with green accents, imported









BOX MODEL 0656GRS-B CATALOG 11889 CLAM MODEL 0656GRS-C CATALOG 11908

657 PURSUIT LARGE GUTHOOK

BUCK TO USA

659 FOLDING PURSUIT LARGE

656 PURSUIT LARGE

658 PURSUIT SMALL



BOX MODEL 0657GRG-B CATALOG11890 CLAM MODEL 0657GRG-C CATALOG12224

BOX MODEL 0658GRS-B CATALOG 11891 | CLAM MODEL 0658GRS-C CATALOG 11909







656: 0.140" (0.356 cm) 657: 0.140" (0.356 cm) 658: 0.100" (0.279 cm) 659: 0.120" (0.305 cm) 660: 0.120" (0.305 cm)

CLOSED LENGTH

659: 5.00" (12.70 cm) 660: 5.00" (12.70 cm) 661: 4.375" (11.10 cm) WEIGHT 656: 6.40 oz (181.50 g) **657:** 6.40 oz (181.50 g) 658: 3.30 oz (93.51 g) 659: 3.80 oz (107.70 g) 660: 3.60 oz (102.00 g) 661: 2.50 oz (72.00 g) HANDLE

Glass-filled nylon with VersaFlex SHEATH Black, heavy-duty



BOX MODEL 0659GRS-B CATALOG11892 | CLAM MODEL 0659GRS-C CATALOG11979

660 FOLDING PURSUIT LARGE GUTHOOK



BOX MODEL 0660GRG-B CATALOG12256 CLAM MODEL 0660GRG-C CATALOG12257

661 FOLDING PURSUIT SMALL



BOX MODEL 0661GRS-B CATALOG 11893 CLAM MODEL 0661GRS-C CATALOG 11982







684 BUCKLITE MAX[®] II SMALL



BLADE Drop point, 420HC steel BLADE LENGTH 3.25" (8.26 cm) BLADE THICKNESS 0.090" (0.23 cm) OVERALL 7.50" (19.10 cm) WEIGHT 2.80 oz (79.38 g) HANDLE DynaFlex® rubber SHEATH Black, heavy-duty

polyester, imported

MODERN HUNTING

BOX MODEL 0684BKS-B CATALOG 11557 | CLAM MODEL 0684BKS-C CATALOG 11558

THE BUCKLIFT AMERICAN VALUE

The BuckLite Max II Series offers a perfect blend of strength and lightweight design, ideal for hunters, campers, and everyday users. Featuring textured, ergonomic handles and sharp, full-tang blades, these knives provide excellent control and durability in the field. Whether you're prepping for a hunt or tackling daily chores, the BuckLite Max II delivers dependable performance with comfort in hand.



685 BUCKLITE MAX° II LARGE

BUCK IT USA



 BLADE

 Drop point, 420HC steel

 BLADE LENGTH

 4.00" (10.16 cm)

 BLADE THICKNESS

 0.110" (0.279 cm)

 OVERALL

 8.875" (22.54 cm)

 WEIGHT

 4.70 oz (133.20 g)

 HANDLE

 DynaFlex® rubber

 SHEATH

 Black, heavy-duty

 polyester, imported

BOX MODEL 0685BKS-B CATALOG 11559 CLAM MODEL 0685BKS-C CATALOG 11560



BLADE Gutbook 420HC stool

BLADE Guthook, 420HC steel BLADE LENGTH 4.00" (10.16 cm) BLADE THICKNESS 0.110" (0.279 cm) OVERALL 8.875" (22.54 cm) WEIGHT 4.70 oz (133.20 g) HANDLE DynaFlex® rubber SHEATH Black, heavy-duty polyester, imported



285 BANTAM[®] BLW



Drop point, 420HC steel **BLADE LENGTH** 3.125" (7.94 cm) **BLADE THICKNESS** 0.120" (0.305 cm) **CLOSED LENGTH** 4.375" (11.10 cm) WEIGHT 2.40 oz (68.04 g) HANDLE Glass-reinforced, textured nylon CLIP Removable, stainless steel

BLADE

COMPACT AND TRUSTWORTHY FOR EVERYDAY CARRY **THE BANTAM SERIES**

The Bantam Series offers lightweight, durable knives designed for everyday use. With a variety of sizes, these folding knives provide excellent versatility and easy portability. Built with a textured handle for a secure grip, the Bantam Series is a dependable choice for anyone needing a sharp, functional tool on the go.



BLACK BOX MODEL 0284BKS-B CATALOG 5759 CLAM MODEL 0284BKS-C **CATALOG** 5760 MOSSY OAK[®] BLAZE ORANGE CAMO BOX MODEL 0284CMS9-B CATALOG 3893 CLAM MODEL 0284CMS9-C CATALOG 3894 MOSSY OAK® BREAK-UP COUNTRY CAMO BOX MODEL 0284CMS24-B CATALOG 10315 CLAM MODEL 0284CMS24-C CATALOG 10316

BLACK	BOX	MODEL 0285BKS-B	CATALOG 5761	CLAM	MODEL 0285BKS-C	CATALOG 5762
MOSSY OAK® BLAZE ORANGE CAMO	BOX	MODEL 0285CMS9-B	CATALOG 3895	CLAM	MODEL 0285CMS9-C	CATALOG 3896
MOSSY OAK° BREAK-UP COUNTRY CAMO	BOX	MODEL 0285CMS24-B	CATALOG10610	CLAM	MODEL 0285CMS24-C	CATALOG 10611



BLACK BOX MODEL 0286BKS-B CATALOG 5763 CLAM MODEL 0286BKS-C CATALOG 5764 MOSSY OAK[®] BLAZE ORANGE CAMO BOX MODEL 0286CMS9-B CATALOG 3897 CLAM MODEL 0286CMS9-C CATALOG 3898 MOSSY OAK® BREAK-UP COUNTRY CAMO BOX MODEL 0286CMS24-B CATALOG 10317 CLAM MODEL 0286CMS24-C CATALOG 10318



Drop point, 420HC steel **BLADE LENGTH** 3.75" (9.53 cm) **BLADE THICKNESS** 0.120" (0.305 cm) CLOSED LENGTH 5.125" (13.00 cm) 3.20 oz (90.72 g) Glass-reinforced, textured nylon Removable, stainless steel

EVERYDAY CARRY

40

BUCK T USA

EVERYDAY CARRY

BLADE THICKNESS 0.090" (0.229 cm) CLOSED LENGTH 4.50" (11.43 cm) WEIGHT

3.30 oz (93.00 g) HANDLE Anodized aluminum CLIP Reversible, removable pocket clip LOCK

Crossbar lock

MAGNA CUT

BLADE LENGTH 3.375" (8.57 cm)

BLADE Drop point, flat grind blade, MagnaCut steel

 BLACK
 BOX
 MODEL 0791BKS-B
 CATALOG13915

 GREEN
 BOX
 MODEL 0791GRS-B
 CATALOG13917

 GRAY
 BOX
 MODEL 0791GYS-B
 CATALOG13916

NEW 791 RANGE ELITE



THE RANGE SERIES

BUCK TE USA

From the office to the outdoors, the Range is an indispensable tool. Easily carried, concealed, and deployed, the Range Series features a crossbar lock for safe, secure one-handed operation. With a sleek ergonomic design and a blade that stays sharp through your daily tasks, it's your essential everyday companion.









0

(0)

BLACK BOX MODEL 0791BKS1-B CATALOG 13918 GREEN BOX MODEL 0791GRS1-B CATALOG13922 GRAY BOX MODEL 0791GYS1-B CATALOG 13920



NEW 791 RANGE PRO

BUCK THE USA

BUCK TH USA



BLADE Drop point, flat grind blade, 154CM steel **BLADE LENGTH** 2.625" (6.67 cm) **BLADE THICKNESS** 0.090" (0.229 cm) CLOSED LENGTH 3.625" (9.21 cm) WEIGHT 1.90 oz (54.00 g) HANDLE Glass-filled nylon CLIP Reversible, removable pocket clip LOCK Crossbar lock

0 0 BUCK THE USA • •

> BLACK BOX MODEL 0790BKS1-B CATALOG 13909 GREEN BOX MODEL 0790GRS1-B CATALOG 13913 GRAY BOX MODEL 0790GYS1-B CATALOG 13911



BUCK A USA

2 LBL

790 MINI RANGE ELITE

00

BUCK WISH BUCK

GREEN | 0790GRS-B |13908



838 DEPLOY - DROP POINT BLADE



BLADE Drop point 0838BKS: Cerakoted, S35VN steel 0838GVS1, 0838BRS1: Cerakoted, 154CM steel BLADE LENGTH 3.25" (8.30 cm) BLADE THICKNESS 0.120" (0.305 cm) CLOSED LENGTH EVERYDAY CARRY

5.00" (12.70 cm) **WEIGHT** 4.25 oz (121.00 g) **HANDLE** Cerakoted aluminum

CLIP Black, Cerakoted, removable, reversible, stainless steel



\sim
AUTOMATIC
\sim
ENGAGES WITH THE

AUTOMATIC

ENGAGES WITH THE PUSH OF A BUTTON
 BLACKOUT
 BOX
 MODEL 0838BKS-B
 CATALOG 13538

 GRAY
 BOX
 MODEL 0838BGYS1-B
 CATALOG 13444

 BRONZE
 BOX
 MODEL 0838BRS1-B
 CATALOG 13444

The sale of automatic knives is federally regulated. See page 97 for details.

THE DEPLOY SERIES

The Deploy Series features high-performance automatic knives built for quick, one-handed deployment. Designed with sleek ergonomic handles and strong durable blades, these knives are ideal for everyday use. With a smooth and rapid opening mechanism and secure safety lock, the Deploy Series offers reliable functionality when you need it most.





BLAC

 BLACKOUT
 BOX
 MODEL 0839BKS-B
 CATALOG 13539

 GRAY
 BOX
 MODEL 0839GYS1-B
 CATALOG 13446

 BRONZE
 BOX
 MODEL 0839BRS1-B
 CATALOG 13445

The sale of automatic knives is federally regulated. See page 97 for details.



BLADE

Drop point 839BKS: Cerakoted, S35VN steel 0839GYS1, 0839BRS1: Cerakoted, 154CM steel **BLADE LENGTH** 1.875" (4.76 cm) **BLADE THICKNESS** 0.120" (0.305 cm) **CLOSED LENGTH** 3.75" (9.50 cm) WEIGHT 3.20 oz (92.00 g) HANDLE Cerakoted aluminum CLIP Black, Cerakoted, removable, reversible, stainless steel



BLADE Wharncliffe 0838BKS1: Cerakoted, S35VN steel 0838BLS, 08380RS: 154CM steel BLADE LENGTH 3.125" (7.90 cm) BLADE THICKNESS 0.120" (0.305 cm) CLOSED LENGTH

5.00" (12.70 cm) WEIGHT 4.70 oz (133.00 g) HANDLE Cerakoted aluminum with a button lock

CLIP Black, Cerakoted, removable, reversible, stainless steel



839 MINI DEPLOY -

WHARNCLIFFE BLADE

ORANGE | 08390RS-B | 13603





 BLACKOUT
 BOX
 MODEL 0838BKS1-B
 CATALOG 13712

 BLUE
 BOX
 MODEL 0838BLS-B
 CATALOG 13600

 ORANGE
 BOX
 MODEL 08380RS-B
 CATALOG 13601

The sale of automatic knives is federally regulated. See page 97 for details.



BLADE Wharncliffe 0839BKS1: Cerakoted, S35VN steel 0839BLS, 08390RS: 154CM steel BLADE LENGTH 1.75" (4.40 cm) **BLADE THICKNESS** 0.120" (0.305 cm) **CLOSED LENGTH** 3.75" (9.50 cm) WEIGHT 3.50 oz (99.00 g) HANDLE Cerakoted aluminum with a button lock CLIP Black, Cerakoted, removable, reversible, stainless steel

839 MINI DEPLOY - WHARNCLIFFE BLADE




 BLACKOUT
 BOX
 MODEL 0839BKS1-B
 CATALOG13713

 BLUE
 BOX
 MODEL 0839BLS-B
 CATALOG13602

 ORANGE
 BOX
 MODEL 08390RS-B
 CATALOG13603

The sale of automatic knives is federally regulated. See page 97 for details.





BLADE Clip point, 420HC steel BLADE LENGTH 3.75" (9.50 cm) **BLADE THICKNESS**

0.120" (0.305 cm) **CLOSED LENGTH** 4.875" (12.40 cm) WEIGHT 2.80 oz (80.00 g) HANDLE Glass-filled nylon CLIP Deep pocket carry, removable, reversible,

stainless steel

-







BLACK BOX MODEL 0110BKS1-B CATALOG 11878 CLAM MODEL 0110BKS1-C CATALOG 11964 0.D. GREEN BOX MODEL 01100DS2-B CATALOG 12695 CLAM MODEL 01100DS2-C CATALOG 12696 ORANGE BOX MODEL 01100RS2-B CATALOG 12699 CLAM MODEL 01100RS2-C CATALOG 12700

BLADE Clip point, 420HC steel **BLADE LENGTH** 3.00" (7.60 cm) **BLADE THICKNESS** 0.120" (0.305 cm) CLOSED LENGTH 4.25" (10.80 cm) WEIGHT 2.50 oz (71.00 g) HANDLE Glass-filled nylon CLIP Deep pocket carry, removable, reversible, stainless steel



112 SLIM SELECT

110 SLIM SELECT





BLACK BOX MODEL 0112BKS1-B CATALOG11881 CLAM MODEL 0112BKS1-C CATALOG11967 O.D. GREEN BOX MODEL 01120DS2-B CATALOG 12689 CLAM MODEL 01120DS2-C CATALOG 12690 ORANGE BOX MODEL 01120RS-B CATALOG 12024 CLAM MODEL 01120RS-C CATALOG 12025

51

112 SLIM SELECT ORANGE | 0112ORS-B | 12024 BLACK | 0112BKS1-B | 11881 O.D. GREEN | 0112ODS2-B |12689



110 FOLDING HUNTER® SPORT



BLADE Clip point, S35VN steel **BLADE LENGTH** 3.75" (9.53 cm)

EVERYDAY CARRY

BLADE THICKNESS 0.120" (0.305 cm) CLOSED LENGTH 5.00" (12.70 cm)

WEIGHT 4.60 oz (132.00 g) HANDLE Black anodized aluminum with O.D. green canvas micarta inlay CLIP Black Cerakoted, deep pocket carry, removable,

stainless steel UPDATED

STEEL



112 RANGER SPORT

BLADE Clip point, S35VN steel **BLADE LENGTH** 3.00" (7.60 cm) **BLADE THICKNESS**

0.120" (0.305 cm) CLOSED LENGTH

4.25" (10.80 cm) WEIGHT

3.90 oz (112.00 g)




HANDLE Black anodized aluminum with O.D. green canvas micarta inlay CLIP Black Cerakoted, deep pocket carry, removable, stainless steel

BOX MODEL 0112GRS5-B CATALOG 13295

THE CLASSIC STYLE WITH A MODERN TWIST **THE SPORT SERIES**

Possessing many of the traditional features of the 110 and 112, the Sport Series is built with Torx screw construction and features a thumbstud and pocket clip. By utilizing an anodized aluminum frame and micarta handle scales, weight is greatly reduced without compromising quality and durability.







BLADE Drop point, 420HC steel BLADE LENGTH 3.25" (8.30 cm) BLADE THICKNESS 0.120" (0.305 cm) CLOSED LENGTH 4.25" (10.80 cm) WEIGHT

3.20 oz (90.70 g) HANDLE Anodized aluminum CLIP Removable, reversible, four position

• . _];



0

.



3

BUCK

 BLACK
 BOX
 MODEL 0722BKS1-B CATALOG 12237
 CLAM
 MODEL 0722BKS1-C CATALOG 12238

 GRAY
 BOX
 MODEL 0722GYS1-B CATALOG 7449
 CLAM
 MODEL 0722GYS1-C CATALOG 7450

 ORANGE
 BOX
 MODEL 0722ORS1-B CATALOG 7453
 CLAM
 MODEL 0722ORS1-C CATALOG 7450

726 MINI SPITFIRE

722 SPITFIRE

BUSA



BLADE Drop point, 420HC steel BLADE LENGTH 2.75" (7.00 cm) BLADE THICKNESS 0.098" (0.249 cm) CLOSED LENGTH 3.74" (9.50 cm) WEIGHT 2.10 oz (59.50 g) HANDLE Anodized aluminum CLIP Removable, reversible, two position

726 MINI SPITFIRE BLACK | 0726BKS-B | 12243

54

0

 BLACK
 BOX
 MODEL 0726BKS-B
 CATALOG12243
 CLAM
 MODEL 0726BKS-C
 CATALOG12244

 GRAY
 BOX
 MODEL 0726GYS-B
 CATALOG7800
 CLAM
 MODEL 0726GYS-C
 CATALOG7800

 ORANGE
 BOX
 MODEL 0726GYS-B
 CATALOG7798
 CLAM
 MODEL 0726ORS-C
 CATALOG7790

EVERYDAY CARRY

BLADE Drop point, S35VN steel **BLADE LENGTH** 3.125" (7.94 cm) **BLADE THICKNESS** 0.120" (0.305 cm) **CLOSED LENGTH**

4.375" (11.11 cm) WEIGHT 3.40 oz (96.39 g) HANDLE 0841BRS1: Burlap micarta 0841TNS: Natural canvas micarta

CLIP Black, Cerakoted, deep pocket carry, removable, stainless steel



.

SMOOTH, DEPENDABLE, AND READY FOR ACTION THE SPRINT SERIES

The Sprints feature ball-bearing flippers that deliver lightning-fast deployment and smooth operation. Designed with durable, stainless steel blades and ergonomic handles, these knives are built for reliability and ease of use. Perfect for everyday carry, the Sprint Series offers a seamless blend of performance, precision, and style.



Reverse tanto, Cerakoted, **BLADE THICKNESS** 0.120" (0.305 cm) CLOSED LENGTH 0843BKS: Canvas micarta 0843BRS: Burlap micarta Black, Cerakoted, deep pocket carry, removable.



BLACK BOX MODEL 0843BKS-B CATALOG 13438 O.D. GREEN BOX MODEL 0843GRS-B CATALOG13440





841 SPRINT PRO

840 SPRINT SELECT

BUCK T USA

AAAA

BUCK T USA



BROWN BOX MODEL 0841BRS1-B CATALOG 13435

TAN BOX MODEL 0841TNS-B CATALOG 13437

BLACK BOX MODEL 0840BKS1-B CATALOG 11896 CLAM MODEL 0840BKS1-C CATALOG 11981 GREEN BOX MODEL 0840GRS-B CATALOG 12058 CLAM MODEL 0840GRS-C CATALOG 12059 BLUE BOX MODEL 0840BLS-B CATALOG 12866 CLAM MODEL 0840BLS-C CATALOG 12867

BLADE THICKNESS 0.120" (0.305 cm) CLOSED LENGTH 4.375" (11.10 cm) WEIGHT 3.20 oz (90.70 g) HANDLE Glass-filled nylon CI IP Deep pocket carry,

removable, stainless steel

Drop point, 420HC steel

BLADE LENGTH

3.125" (7.90 cm)

BLADE

57





..... BLADE Clip point, 420HC steel **BLADE LENGTH** 2.375" (6.00 cm) **BLADE THICKNESS** 0.084" (0.213 cm) CLOSED LENGTH 3.50" (8.90 cm) WEIGHT 1.90 oz (54.10 g) HANDLE Crelicam[™] genuine ebony with brass bolsters CARRY Pocket carry



BOX MODEL 0055BRS-B CATALOG 5684 CLAM MODEL 0055BRS-C CATALOG 5685



EBONY





BOX MODEL 0501RWS-B CATALOG 2598 CLAM MODEL 0501RWS-C CATALOG 1270

BLADE Drop point, 420HC steel BLADE LENGTH 2.75" (7.00 cm) BLADE THICKNESS 0.096" (0.244 cm) CLOSED LENGTH 3.75" (9.50 cm) WEIGHT 3.00 oz (85.40 g) HANDLE DymaLux® rosewood with nickel silver bolsters SHEATH Black, genuine leather, iimported

.



BLADE Drop point, 420HC steel **BLADE LENGTH** 2.625" (6.67 cm) BLADE THICKNESS 0.120" (0.305 cm) CLOSED LENGTH 3.75" (9.50 cm) WEIGHT 2.30 oz (65.00 g) HANDLE Molded nylon with contoured DymaLux® rosewood inlays CLIP Removable, reversible, stainless steel

BOX MODEL 0341RWS-B CATALOG 7834 CLAM MODEL 0341RWS-C CATALOG 7835



.... BLADE Drop point, 420HC steel **BLADE LENGTH** 2.50" (6.40 cm) **BLADE THICKNESS** 0.084" (0.213 cm) CLOSED LENGTH 3.375" (8.60 cm) WEIGHT 2.00 oz (57.00 g) HANDLE DymaLux[®] rosewood with nickel silver bolsters CARRY Pocket carry



341 SMALL VANTAGE



BLADE Drop point, 420HC steel **BLADE LENGTH** 3.25" (8.30 cm) **BLADE THICKNESS** 0.120" (0.305 cm) CLOSED LENGTH 4.375" (11.10 cm) WEIGHT 3.70 oz (104.90 g) HANDLE Molded nylon with contoured DymaLux® rosewood inlays CLIP Removable, reversible, stainless steel

.....



3.50" (8.90 cm) **BLADE THICKNESS** 0.130" (0.330 cm) **CLOSED LENGTH** 4.80" (12.20 cm) WEIGHT 5.35 oz (151.67 g) HANDLE Anodized aluminum CLIP Deep pocket carry, removable, reversible, stainless steel

BLADE LENGTH



TE

E

BUCK

T

T

E

BUCK

BUCK'

BUCK

BLACK BOX MODEL 0713CPS-B CATALOG 14154 CLAM MODEL 0713CPS-C CATALOG 14155 GREEN BOX MODEL 0713GRS-B CATALOG 14156 CLAM MODEL 0713GRS-C CATALOG 14157 BLUE BOX MODEL 0713BLS-B CATALOG 14152 CLAM MODEL 0713BLS-C CATALOG 14153



BLADE Drop point, D2 steel **BLADE LENGTH** 3.00" (7.62 cm) **BLADE THICKNESS** 0.130" (0.330 cm) CLOSED LENGTH 4.25" (10.80 cm) WEIGHT 3.95 oz (112.00 g) HANDLE Anodized aluminum with carbon fiber inlay CLIP Deep pocket carry, removable, reversible, stainless steel

00



BLACK BOX MODEL 0714BKS-B CATALOG 14158 CLAM MODEL 0714BKS-C CATALOG 14159 GREEN BOX MODEL 0714GRS-B CATALOG14162 CLAM MODEL 0714GRS-C CATALOG14163 BLUE BOX MODEL 0714BLS-B CATALOG 14160 CLAM MODEL 0714BLS-C CATALOG 14161

Drop point, 7Cr17 steel, partially serrated BLADE LENGTH 3.23" (8.20 cm) **BLADE THICKNESS** 0.112" (0.284 cm) CLOSED LENGTH 4.625" (11.76 cm) WEIGHT 3.95 oz (113.00 g) HANDLE Anodized aluminum CLIP Reversible, stainless steel



BLUE	BOX	MODEL 0812BLX-B	CATALOG13754	CLAM	MODEL 0812BLX-C	CATALOG13755
BRONZE	BOX	MODEL 0812BRX-B	CATALOG 13859	CLAM	MODEL 0812BRX-C	CATALOG13860
ORANGE	BOX	MODEL 08120RX-B	CATALOG 13756	CLAM	MODEL 08120RX-C	CATALOG13757



BLADE Drop point, 7Cr17 steel **BLADE LENGTH** 2.43" (6.17 cm) **BLADE THICKNESS** 0.111" (0.282cm) **CLOSED LENGTH** 3.50" (8.89 cm) WEIGHT 1.85 oz (53.00 g) HANDLE Anodized aluminum CARRY Reversible. stainless steel



BUCK BUCK



BLUE BOX MODEL 0814BLS-B CATALOG 13766 CLAM MODEL 0814BLS-C CATALOG 13767 BRONZE BOX MODEL 0814BRS-B CATALOG 13861 CLAM MODEL 0814BRS-C CATALOG 13862 ORANGE BOX MODEL 08140RS-B CATALOG 13768 CLAM MODEL 08140RS-C CATALOG 13769

811 TRACE OPS



BLACK BOX MODEL 0811BKS-B CATALOG 13746 CLAM MODEL 0811BKS-C CATALOG 13747 CAMO BOX MODEL0811CMS-B CATALOG13750 CLAM MODEL0811CMS-C CATALOG13751 GRAY BOX MODEL 0811GYS-B CATALOG 13748 CLAM MODEL 0811GYS-C CATALOG 13749

> BLADE Tanto, 7Cr17 steel **BLADE LENGTH**

2.43" (6.17 cm)

0.111" (0.282 cm)

CLOSED LENGTH

3.50" (8.89 cm)

1.75 oz (50.00 g)

Anodized aluminum

WEIGHT

HANDLE

Reversible,

stainless steel

CLIP

BLADE THICKNESS



BLACK	BOX	MODEL 0813BKS-B	CATALOG13758	CLAM	MODEL 0813BKS-C	CATALOG13759
CAMO	BOX	MODEL 0813CMS-B	CATALOG13762	CLAM	MODEL 0813CMS-C	CATALOG13763
GRAY	BOX	MODEL 0813GYS-B	CATALOG13760	CLAM	MODEL 0813GYS-C	CATALOG13761







BLADE

Drop point, 7Cr17 steel **BLADE LENGTH** 1.975" (4.80 cm) **BLADE THICKNESS**

0.082" (0.208 cm)

CLOSED LENGTH 2.75" (7.00 cm) WEIGHT 1.30 oz (37.00 g) HANDLE Brushed stainless steel

CARRY

Pocket carry

BUCK

BLADE

Drop point

0327SSS: 7Cr17 steel

0327TTS, 0327CFS: Titanium-coated 7Cr17 steel

BLADE THICKNESS

BLADE LENGTH

2.625" (6.70 cm)

0.095" (0.241 cm)

CLOSED LENGTH 3.75" (9.50 cm)

2.60 oz (74.00 g)

0327TT: Titanium coated

stainless steel with EDM

0327CFS: Stainless steel with rubberized, carbon fiber graphic CLIP Removable.

WEIGHT

HANDLE

stainless steel

stainless steel

texture 0327SSS: Brushed

BOX MODEL 0325555-B CATALOG 5830 CLAM MODEL 0325555-C CATALOG 5831

327 NOBLEMAN



TITANIUM COATED BOX MODEL 0327TTS-B CATALOG 5860 CLAM MODEL 0327TTS-C CATALOG 5861 STAINLESS STEEL BOX MODEL 0327SSS-B CATALOG 5834 CLAM MODEL 0327SSS-C CATALOG 5835 CARBON FIBER BOX MODEL 0327CFS-B CATALOG 3086 CLAM MODEL 0327CFS-C CATALOG 3087

744 SOVEREIGN



BLADE Modified clip point 0744CFS: Titaniumcoated 7Cr17 steel 0744SSS: 7Cr17 steel **BLADE LENGTH** 3.225" (8.20 cm) **BLADE THICKNESS**

0.110" (0.279 cm) CLOSED LENGTH 4.25" (10.80 cm) WEIGHT 4.15 oz (119.00 g) HANDLE 0744CFS: Stainless steel with rubberized, carbon fiber graphic 0744SSS: Stainless steel CLIP Stainless steel LOCK

Button lock

BLADE

CARBON FIBER BOX MODEL 0744CFS-B CATALOG13812 CLAM MODEL 0744CFS-C CATALOG13813 STAINLESS STEEL BOX MODEL 0744SSS-B CATALOG 13814 CLAM MODEL 0744SSS-C CATALOG 13815





Modified clip point 0743CFS: Titaniumcoated 7Cr17 steel 0743SSS: 7Cr17 steel **BLADE LENGTH** 2.625" (6.67 cm) **BLADE THICKNESS** 0.110" (0.279 cm) **CLOSED LENGTH** 3.625" (9.20 cm) WEIGHT 3.15 oz (90.00 g) HANDLE 0743CFS: Stainless steel with rubberized, carbon fiber graphic 0743SSS: Stainless steel CLIP Stainless steel LOCK Button lock

CARBON FIBER BOX MODEL 0743CFS-B CATALOG 13808 CLAM MODEL 0743CFS-C CATALOG 13809 STAINLESS STEEL BOX MODEL 0743SSS-B CATALOG 13810 CLAM MODEL 0743SSS-C CATALOG 13811

EVERYDAY CARRY

64

EVERYDAY CARRY

Drop point, 7Cr17 steel **BLADE LENGTH** 3.375" (8.60 cm) **BLADE THICKNESS** 0.110" (0.280 cm)

CLOSED LENGTH 4.50" (11.40 cm) WEIGHT 3.70 oz (104.90 g) HANDLE G10 CLIP Deep pocket carry,

0 3000 600

239 INFUSION - MODIFIED TANTO BLADE



BLACK BOX MODEL 0239BKS-B CATALOG 13543 CLAM MODEL0239BKS-C CATALOG13544 BOX MODEL0239GRS-B CATALOG13541 CLAM MODEL 0239GRS-C CATALOG 13542 ASSISTED OPENING O.D. GREEN BOX MODEL 0239GRS1-B CATALOG 13545 CLAM MODEL 0239GRS1-C CATALOG 13546

TEAL

239 INFUSION - DROP POINT BLADE

BLADE Drop point, 7Cr17 steel BLADE LENGTH 3.25" (7.60 cm) **BLADE THICKNESS** 0.126" (0.320 cm) **CLOSED LENGTH** 4.625" (11.76 cm) WEIGHT 3.85 oz (109.00 g) HANDLE Anodized aluminum CLIP Deep pocket carry, removable, reversible, stainless steel



BOX MODEL 0239BKS1-B CATALOG 13549 CLAM MODEL 0239BKS1-C CATALOG 13550 BLACK BLUE BOX MODEL0239BLS-B CATALOG13547 CLAM MODEL 0239BLS-C CATALOG 13548 BOX MODEL 02390RS-B CATALOG 13551 CLAM MODEL 02390RS-C CATALOG 13552 ORANGE

251 LANGFORD



BLACK BOX MODEL 0251BKS-B CATALOG13042 CLAM MODEL 0251BKS-C CATALOG13043 BOX MODEL 0251GRS-B CATALOG13044 CLAM MODEL 0251GRS-C CATALOG13045 GREEN

252 TRUNK

254 ODESSA



BLADE Cleaver, 7Cr17 steel **BLADE LENGTH** 2.875" (7.30 cm) **BLADE THICKNESS** 0.110" (0.280 cm) **CLOSED LENGTH** 4.00" (10.20 cm) WEIGHT 3.10 oz (87.90 g) HANDLE G10 CLIP Deep pocket carry, stainless steel

BLACK BOX MODEL0252BKS-B CATALOG13090 CLAM MODEL0252BKS-C CATALOG13091 TAN BOX MODEL 0252TNS-B CATALOG 13046 CLAM MODEL 0252TNS-C CATALOG 13047



BLADE Drop point, 7Cr17 steel **BLADE LENGTH** 3.125" (7.90 cm) **BLADE THICKNESS** 0.110" (0.280 cm) **CLOSED LENGTH** 4.375" (11.10 cm) WEIGHT 4.90 oz (138.91 g) HANDLE Stainless steel CLIP Deep pocket carry, stainless steel

0.

BOX MODEL 0254SSS-B CATALOG 13052 CLAM MODEL 0254SSS-C CATALOG 13053

ASSISTED OPENING

263 HILINE



BLADE Cleaver, D2 steel **BLADE LENGTH** 3.25" (8.30 cm) **BLADE THICKNESS** 0.140" (0.356 cm) CLOSED LENGTH 4.375" (11.00 cm)

WEIGHT 3.90 oz (110.00 g) HANDLE Front: Gray, anodized aluminum with G10 inlay Back: Stonewashed stainless steel CLIP Stonewashed

stainless steel

BOX MODEL 0263GYS-B CATALOG13243 CLAM MODEL 0263GYS-C CATALOG13244

263 HILINE XL



BLACK BOX MODEL 0263BKS1-B CATALOG 13553 CLAM MODEL 0263BKS1-C CATALOG 13554 GRAY BOX MODEL 0263GYS1-B CATALOG 13555 CLAM MODEL 0263GYS1-C CATALOG 13556 COPPER BOX MODEL 0263CPS1-B CATALOG 13557 CLAM MODEL 0263CPS1-C CATALOG 13558



259 HAXBY



BLADE Drop point, 8Cr13 steel BLADE LENGTH 3.875" (9.80 cm) **BLADE THICKNESS** 0.130" (0.330 cm) CLOSED LENGTH 5.00" (12.70 cm) WEIGHT 4.50 oz (127.60 g) HANDLE Carbon fiber graphic

EVERYDAY CARRY

BOX MODEL 0259CFS-B CATALOG 13066 CLAM MODEL 0259CFS-C CATALOG 13067

262 HEXAM ASSIST



E

BLADE Drop point, 7Cr17 steel **BLADE LENGTH** 3.34" (8.50 cm) **BLADE THICKNESS** 0.126" (0.320 cm) **CLOSED LENGTH** 5.125" (13.00 cm) WEIGHT 5.30 oz (150.00 g) HANDLE Anodized aluminum CLIP Black, oxide-coated, stainless steel

ASSISTED OPENING

BUCK

GRAY BOX MODEL 0262GYS-B CATALOG 13241 CLAM MODEL 0262GYS-C CATALOG 13242 GREEN BOX MODEL 02620DS-B CATALOG 13239 CLAM MODEL 02620DS-C CATALOG 13240

264 CAVALIER



BLADE Drop point, 7Cr17 steel **BLADE LENGTH** 3.60" (9.10 cm) **BLADE THICKNESS** 0.110" (0.280 cm) CLOSED LENGTH 4.50" (11.40 cm) WEIGHT 2.80 oz (80.00 g) HANDLE FRONT: Gray, anodized aluminum handle with carbon fiber inlay BACK: Stonewashed, stainless steel CLIP Stonewashed, stainless steel

BOX MODEL 0264GYS-B CATALOG13245 CLAM MODEL 0264GYS-C CATALOG13246



POCKET KNIVES

3.00" (7.62 cm) Clip point, 2.14" (5.44 cm) sheepsfoot, and 2.05"

CLOSED LENGTH 4.00" (10.16 cm) WEIGHT 3.07 oz (87.00 g) HANDLE Crelicam[™] genuine ebony or granadillo wood with brass bolsters CARRY Pocket carry

BLADES

A CLASSIC REBORN THE 300 SERIES

The 301 Stockman and 303 Cadet, reintroduced and proudly made in the USA, channel the spirit of Buck's early days. These traditional slip-joint knives embody the same rugged reliability and craftsmanship that made Buck famous. Simple, durable, and easy to carry, they're perfect for everyday tasks or a touch of nostalgia.





EBONY

EBONY BOX MODEL 0303BRS-B CATALOG 14120 CLAM MODEL 0303BRS-C CATALOG 14121 GRANADILLO BOX MODEL 0303BRS1-B CATALOG 14217 CLAM MODEL 0303BRS1-C CATALOG 14218





NEW 301 STOCKMAN[®] - WOOD HANDLE



BOX MODEL 0301BRS-B CATALOG 14110 CLAM MODEL 0301BRS-C CATALOG 14111 EBONY EBONY GRANADILLO BOX MODEL 0301BRS1-B CATALOG 14215 CLAM MODEL 0301BRS1-C CATALOG 14216

NEW 301 STOCKMAN[®] - SYNTHETIC HANDLE

BLADES 3.00" (7.62 cm) Clip point, 2.14" (5.44 cm) sheepsfoot, and 2.05" (5.21 cm) spey, 420HC steel CLOSED LENGTH 4.00" (10.16 cm) WEIGHT 3.07 oz (87.00 g) HANDLE Acetal copolymer with nickel silver bolsters CARRY Pocket carry


AN + ISING THE PARTY





GRAY BOX MODEL 0301GYS2-B CATALOG 14106 CLAM MODEL 0301GYS2-C CATALOG 14107 BOX MODEL 0301BLS-B CATALOG 14108 CLAM MODEL 0301BLS-C CATALOG 14109 BLUE BLACK BOX MODEL 0301BKS1-B CATALOG 14104 CLAM MODEL 0301BKS1-C CATALOG 14105

GRAY BOX MODEL 0303GYS2-B CATALOG 14116 CLAM MODEL 0303GYS2-C CATALOG 14117 BLUE BOX MODEL 0303BLS-B CATALOG 14118 CLAM MODEL 0303BLS-C CATALOG 14119 BLACK BOX MODEL 0303BKS1-B CATALOG14114 CLAM MODEL 0303BKS1-C CATALOG14115



74





104 COMPADRE CAMP KNIFE



OUTDOORS

Drop point, Cobalt Cerakoted, 5160 spring steel BLADE LENGTH 4.50" (11.40 cm) **BLADE THICKNESS** 0.150" (0.381 cm) OVERALL 9.50" (24.10 cm) WEIGHT 7.10 oz (201.30 g) HANDLE Natural canvas micarta SHEATH Black, genuine leather, with belt loop attachment,

made in the USA

BOX MODEL 0104BRS1-B CATALOG 12245

0

0

0

108 COMPADRE FROE°

BLADE Froe, Cobalt Cerakoted, 5160 spring steel **BLADE LENGTH** 9.50" (24.10 cm) **BLADE THICKNESS** 0.230" (0.584 cm) OVERALL 16.75" (42.50 cm) WEIGHT 23.20 oz (657.70 g) HANDLE Natural canvas micarta SHEATH Black, genuine leather, with D ring attachment, made in the USA

THE COMPADE READY FOR ANYTHING

The Compadre Series combines tough, full-tang construction with premium materials for lasting performance. Designed for survivalists, campers, and outdoor enthusiasts, these knives are built to handle the toughest tasks. With comfortable grip and durable blades, the Compadres are your go-to tools for every adventure.




BOX MODEL 0108BRS1-B CATALOG 12247



OUTDOORS

Flexible fillet, titanium coated 420J2 steel **BLADE LENGTH** 6.50" (16.50 cm) **BLADE THICKNESS** 0.075" (0.191 cm) CLOSED LENGTH 7.25" (18.40 cm) WEIGHT 6.00 oz (170.10 g) HANDLE Glass-reinforced polypropylene with TPE rubber and a stainless steel guard

BLADE



11111111111

220 SILVER CREEK 6.5" FOLDING FILLET

223 SILVER CREEK 6" FILLET


Flexible fillet, titanium

coated 420J2 steel BLADE LENGTH 6.375" (16.20 cm) **BLADE THICKNESS** WEIGHT 5.00 oz (142.00 g) HANDLE Glass-reinforced polypropylene with TPE rubber and a stainless steel guard SHFATH Injection-molded plastic with integrated belt clip and stylized drain hole, imported

BOX MODEL 0223BLS-B CATALOG 3116 CLAM MODEL 0223BLS-C CATALOG 3117

225 SILVER CREEK 9" FILLET





835 SMALL FOLDING SELKIRK



BOX MODEL 0835BRS-B CATALOG 10682 CLAM MODEL 0835BRS-C CATALOG 10683

836 FOLDING SELKIRK



BLADE Drop point, 420HC steel **BLADE LENGTH** 3.90" (9.90 cm) **BLADE THICKNESS** 0.150" (0.381 cm) **CLOSED LENGTH** 5.00" (12.70 cm) WEIGHT 7.50 oz (212.60 g) HANDLE Brown and black contoured micarta with a steel bolster SHEATH Injected-molded nylon sheath FEATURE 2.25" ferrocerium striker with whistle integrated in grip, imported

BLADE

Drop point, 420HC steel

BLADE THICKNESS

BLADE LENGTH

4 00" (10 20 cm)

0.125" (0.318 cm)

8.25" (21.00 cm)

6.40 oz (181.40 g)

Brown and black, contoured micarta with steel pommel and guard

Injection-molded nylon, removable

& reversible belt loop, imported

OVERALL

WEIGHT

HANDLE

SHEATH

BLADE

CLIP

3 25" (8 20 cm)

Drop point, 420HC steel **BLADE LENGTH**

BOX MODEL 0836BRS-B CATALOG 10678 CLAM MODEL 0836BRS-C CATALOG 10679

853 SMALL SELKIRK




BOX MODEL 0853BRS-B CATALOG 11109 | CLAM MODEL 0853BRS-C CATALOG 11110

863 SELKIRK



BOX MODEL 0863BRS-B CATALOG 10180 | CLAM MODEL 0863BRS-C CATALOG 10181

BLADE Drop point, 420HC steel **BLADE LENGTH** 4.625" (11.70 cm) **BLADE THICKNESS** 0.135" (0.343 cm) OVERALL 9.50" (24.10 cm) WEIGHT 7.60 oz (212.60 g) HANDLE Brown and black, contoured micarta with steel pommel and guard SHEATH Injection-molded nylon, imported. Can be configured into horizontal or vertical belt carry. FEATURES 2.25" ferrocerium striker with whistle integrated in the grip. Rear bolster can be used as an improvised hammer.





BLADE

BLADE

Flexible fillet, titaniumcoated 420J2 steel BLADE LENGTH

9.625" (24.40 cm)

0.075" (0.191 cm)

14.375" (36.50 cm)

5.30 oz (150.20 g)

polypropylene with

stainless steel guard

plastic with integrated

belt clip and stylized

drain hole, imported

TPE rubber and a

Injection-molded

Glass-reinforced

OVERALL

WEIGHT

HANDLE

SHEATH

BLADE THICKNESS

80



MATERIAL 100% Diamond-coated surfaces LENGTH 4.00" x 1.25" (10.20 cm x 3.20 cm) WEIGHT 1.30 oz (36.90 g) GRIT 325 (Course) 750 (Medium) SHEATH



Black vinyl

SHARPENERS





FLIPSTIK HANDLE DOUBLES AS A CASE! BOX MODEL 97044-B CATALOG 4976 | CLAM MODEL 97044-C CATALOG 4977 Twist to lock or unlock!





FLIPSTIK HANDLE **DOUBLES AS A CASE!**

Twist to lock or unlock! BOX MODEL 97043-B CATALOG 4974 CLAM MODEL 97043-C CATALOG 4975

EDGETEK FISHING FLIPSTIK



MATERIAL 100% Diamond-coated. oval surfaces SIZE 4.00" x 0.50" (10.20 cm x 1.30 cm) **OVERALL LENGTH** 9.00" (22.90 cm) **CLOSED LENGTH** 5.00" (12.70 cm) WEIGHT 1.60 oz (45.40 g) GRIT 325 (Coarse hook grooves) 750 (Medium, flat)

MATERIAL

oval surfaces

4.00" x 0.50"

SIZE

100% Diamond-coated,

(10.20 cm x 1.30 cm)

OVERALL LENGTH

9.00" (22.90 cm)

5.00" (12.70 cm)

3.00 oz (85.00 g)

325 (Coarse)

1200 (Fine)

MATERIAL

SITE

oval surfaces

4.00" x 0.75"

100% Diamond-coated,

(10.20 cm x 1.90 cm)

OVERALL LENGTH

9.00" (22.90 cm)

5.00" (12.70 cm)

1.90 oz (53.90 g)

750 (Medium) both sides

WEIGHT

GRIT

CLOSED LENGTH

750 (Medium)

WEIGHT

GRIT

CLOSED LENGTH



EDGETEK ULTRA STEEL 10"



BOX MODEL 97082-B CATALOG 6253 CLAM MODEL 97082-C CATALOG 6254

EDGETEK STEEL 10"



BOX MODEL 97081-B CATALOG 6251 CLAM MODEL 97081-C CATALOG 6252

MATERIAL 100% Diamond-coated, oval surfaces SIZE 10.00" x 0.50" (25.40 cm x 1.30 cm) **OVERALL LENGTH** 15.75" (40.00 cm) WEIGHT 6.90 oz (195.60 g) GRIT 325 (Coarse) 750 (Medium) 1200 (Fine)

MATERIAL

oval surfaces

10.00" x 0.50"

SIZE

WEIGHT

GRIT

100% Diamond-coated,

(25.40 cm x 1.30 cm)

OVERALL LENGTH

15.25" (38.70 cm)

3.30 oz (93.60 g)

750 (Medium) both sides



MATERIAL Diamond sharpener in a retractable, pen style barrel. Tapered end for serrated blades. Fish hook groove. Flat side for straight blades. Pocket clip. Portable, versatile and durable for field use. CLOSED LENGTH 5125" (13.10 cm) GRIT 400 (Medium)



MATERIAL 100% Diamond-coated surfaces STONE LENGTH 6.00" x 2.00" (15.20 cm x 5.10 cm) OVERALL LENGTH 7.625" x 2.625" (19.30 cm x 11.70 cm) WEIGHT 4.60 oz (130.40 g) GRIT Red: 750 (Medium) single side Yellow: 325 (Course) single side

BOX MODEL 97078-B CATALOG 6245 CLAM MODEL 97078-C CATALOG 6246 RED YELLOW BOX MODEL 97077-B CATALOG 6243 CLAM MODEL 97077-C CATALOG 6244

BOX MODEL 97076-B CATALOG 6241 CLAM MODEL 97076-C CATALOG 6242

EDGETEK BENCH STONE (MEDIUM AND COARSE)

EDGETEK DUAL FLAT POCKET STONE

SOFT ARKANSAS STONE





MATERIAL 100% Natural quartz crystals - Novaculite LENGTH 1.625" x 4.375"

(4.20 cm x 11.10 cm) GRIT 500-600 (Course)

SHEATH Black nylon

BOX MODEL 97017-B CATALOG 10094

BUCK BRANDED TIN TACKER SIGNS

The Finest Knife at Any Price

• Easy to hang Highly legible · Made in the USA

MODEL 95305 CATALOG 14079



MODEL 95283 CATALOG 13520 Embossed



 Aluminum construction Easy to hang · Highly legible Made in the USA

MODEL 95307 CATALOG 14081 Embossed



HEIGHT

FEATURES

• Easy to hang

Highly legible

• Made in the USA

17.50" (44.45 cm)

11.50" (29.21 cm)

Aluminum construction

NEW

ALWAYS SHARP

18.00" (45.72 cm)

9.86" (25.04 cm)

WIDTH

HEIGHT

FEATURES

TIN TACKER SIGN

NEW

100 **BUCK KNIVES** SINCE 1902 OST FALLS ID

MODEL 95309 CATALOG 14083

MODEL 95306 CATALOG 14080

BUCK KNIVES

K

DUALITY FIXED BLADES

AND FOLDERS Since 1902

MODEL 95308 CATALOG 14082



WIDTH

HEIGHT

FEATURES

Easy to hang

Highly legible

16.76" (42.57 cm)

14.50" (36.83 cm)

Aluminum construction

NEW **FAMOUS FOR HOLDING AN**

EDGE TIN TACKER SIGN

18.00" (45.72 cm) HEIGHT 9.28" (23.57 cm) FEATURES Aluminum construction • Easy to hang · Highly legible Made in the USA Fmbossed

NEW **QUALITY BLADES TIN TACKER SIGN** WIDTH 12.00" (30.48 cm) HEIGHT 15.00" (38.10 cm) FEATURES Aluminum construction • Easy to hang Highly legible · Made in the USA



GRAY/BURNT RED BUCK KNIVES MFG CO MESH SNAPBACK MODEL 89175 CATALOG 13889



BLACK/CHARCOAL LEATHER PATCH MESH SNAPBACK MODEL 89184 CATALOG 14245



BLAZE ORANGE LOGO PVC PATCH MESH SNAPBACK MODEL 89190 CATALOG 14251



O.D. GREEN LEATHER

PATCH MESH SNAPBACK

MODEL 89183 CATALOG 14244

REP THE LIFESTYLE

BUCK HATS

MARSH DUCK CAMO

MESH SNAPBACK

MODEL 89177 CATALOG 13891

NEW

CHARCOAL EMBROIDERED PATCH MESH SNAPBACK MODEL 89188 CATALOG 14249





NAVY ROUNDED FELT PATCH **5-PANEL MESH SNAPBACK** MODEL 89186 CATALOG 14247



BLAZE DUCK CAMO MESH SNAPBACK MODEL 89179 CATALOG 13893



BLACK/BONE U.S.A. FELT PATCH MESH SNAPBACK MODEL 89185 CATALOG 14246



O.D. GREEN EMBROIDERED PATCH MESH SNAPBACK MODEL 89189 CATALOG 14250



QUICKSAND ROUNDED FELT PATCH 5-PANEL MESH SNAPBACK MODEL 89187 CATALOG 14248

OUALITY BRANDED BUCK T-SHIRTS



BUCK KNIVES LOGO TEE Charcoal

MODEL 13470-SML CATALOG 14332 MODEL 13470-MED CATALOG 14333 MODEL 13470-LRG CATALOG 14334 MODEL 13470-XLG CATALOG 14335 MODEL 13470-2XL CATALOG 14336 MODEL 13470-3XL CATALOG 14337 MODEL 13470-4XL CATALOG 14338

Navy

MODEL 13469-SML CATALOG 14325

MODEL 13469-MED CATALOG 14326

MODEL 13469-LRG CATALOG 14327

MODEL 13469-XLG CATALOG 14328

MODEL 13469-2XL CATALOG 14329

MODEL 13469-3XL CATALOG 14330

MODEL 13469-4XL CATALOG 14331



BUCK KNIVES LOGO TEE Dusty Sage

MODEL 13468-SML CATALOG 14318 MODEL 13468-MED CATALOG 14319 MODEL 13468-LRG CATALOG 14320 MODEL 13468-XLG CATALOG 14321 MODEL 13468-2XL CATALOG 14322 MODEL 13468-3XL CATALOG 14323 MODEL 13468-4XL CATALOG 14324



STACKED LOGO TEE Charcoal

MODEL 13464-SML CATALOG 14290 MODEL 13464-MED CATALOG 14291 MODEL 13464-LRG CATALOG 14292 MODEL 13464-XLG CATALOG 14293 MODEL 13464-2XL CATALOG 14294 MODEL 13464-3XL CATALOG 14295 MODEL 13464-4XL CATALOG 14296



BUCK KNIVES LOGO TEE Dark Red

MODEL 13467-SML CATALOG 14311 MODEL 13467-MED CATALOG 14312 MODEL 13467-LRG CATALOG 14313 MODEL 13467-XLG CATALOG 14314 MODEL 13467-2XL CATALOG 14315 MODEL 13467-3XL CATALOG 14316 MODEL 13467-4XL CATALOG 14317



ROUNDED BADGE TEE Gray

MODEL 13463-SML CATALOG 14283 MODEL 13463-MED CATALOG 14284 MODEL 13463-LRG CATALOG 14285 MODEL 13463-XLG CATALOG 14286 MODEL 13463-2XL CATALOG 14287 MODEL 13463-3XL CATALOG 14288 MODEL 13463-4XL CATALOG 14289



MODEL 13466-3XL CATALOG 14309 MODEL 13466-4XL CATALOG 14310

MODEL 13461-MED CATALOG 14270

MODEL 13461-LRG CATALOG 14271

MODEL 13461-XLG CATALOG 14272

MODEL 13461-2XL CATALOG 14273

MODEL 13461-3XL CATALOG 14274

MODEL 13461-4XL CATALOG 14275

MODEL 13465-3XL CATALOG 14302 MODEL 13465-4XL CATALOG 14303 MODEL 13462-3XL CATALOG 14281 MODEL 13462-4XL CATALOG 14282



MODEL 13460-SML CATALOG 14262 MODEL 13460-MED CATALOG 14263 MODEL 13460-LRG CATALOG 14264 MODEL 13460-XLG CATALOG 14265 MODEL 13460-2XL CATALOG 14266 MODEL 13460-3XL CATALOG 14267 MODEL 13460-4XL CATALOG 14268 BUCK GEAR

88

BUCK KNIVES DISPLAYS

ACRYLIC DISPLAY STANDS







5-KNIFE STAND Clear acrylic with black Buck logo *Knives not included

WIDTH 4.125" (11.80 cm)	WIDTH 4.125" (11.80 cm)		
HEIGHT 3.75" (9.50 cm)	MODEL CATALOG	21005 5519	 HEIGHT 3.75" (9.50 cm)
DEPTH 5.50" (14.00 cm)			DEPTH 5.50" (14.00 cm)

3-KNIFE STAND Clear acrylic with black Buck logo *Knives not include

not included		*Knives not included				
		WIDTH 1.50" (3.80 cm)				
MODEL CATALOG	21004 2188	HEIGHT 2.00" (5.10 cm)	MODEL CATALOG	21008 2192		
<u> </u>		DEPTH 2.00" (5.10 cm)				

1-KNIFE STAND

Clear acrylic with black Buck logo

SINGLE SLOT 1-KNIFE STAND

Clear acrylic with black Buck logo *Knives not included

WIDTH 1.50" (3.80 cm) MODEL 21006 HEIGHT 1.125" (4.40 cm) CATALOG 2190 DEPTH 1.125" (4.40 cm)



ILLUMINATED SIGN

23.00" (58.42 cm) HEIGHT 17.00" (43.18 cm) DEPTH 0.50" (1.27 cm) FEATURES LED illumination · Aluminum and acrylic construction Multiple hanging options · Low-draw LED with high output · Made in the USA

WIDTH



COUNTER DISPLAY

MODEL 95284 CATALOG 13521

FLOOR DISPLAYS



MODEL 21090 CATALOG 13897 *Knives not included

UCK

WIDTH 24.00" (60.96 cm) HEIGHT 72.00" (182.88 cm) DEPTH 18.00" (45.72 cm)

WIDTH

HEIGHT

16.75" (42.55 cm)

26.00" (66.04 cm) **DEPTH** 10.00" (25.40 cm)



3-TIER KNIFE GLORIFIER

7.50" (19.05 cm) **CATALOG** 13895

8.38" (21.29 cm) *Knives not included

MODEL 21088

WIDTH

HEIGHT

DEPTH

9.13" (23.19 cm)





5-TIER KNIFE GLORIFIER WIDTH

9.13" (23.19 cm) HEIGHT MODEL 21089 14.00" (35.56 cm) CATALOG 13896

DEPTH 11.88" (30.18 cm) *Knives not included

1-TIER KNIFE GLORIFIER WIDTH 9.13" (23.19 cm) HEIGHT

MODEL 21087 5.00" (12.70 cm) CATALOG 13894 DEPTH 3.00" (7.62 cm) *Knives not included



WITH GLASS SHELVES MODEL 21091 CATALOG 13898 *Knives not included

WITH MAGNETIC SHELVES MODEL 21092 CATALOG 13899 *Knives not included

BLADE INFO, KNIFE FEATURES, AND LOCKING MECHANISMS

KNIFE KNOW-HOW

COMMON BLADE SHAPES



CLIP POINT

is excellent for detail work and piercing.

TANTO

use including piercing, scraping, and prying.






DROP POINT


A clip point blade features a concave or A drop point blade has a spine that slopes A skinner blade has a curved belly and straight cut-out on the spine leading to the down along the spine toward the tip of the upswept tip along the cutting edge. This shape blade. This creates a tougher tip that is excels at cutting through thick layers and also easier to control and is excellent for slicing.


CLEAVER

shape is great for chopping and slicing.

- blade tip. This creates a narrow, sharp tip and











SKINNER

reduces the risk of accidental punctures.

WHARNCLIFFE A tanto blade has a distinct angular edge. A cleaver has a flat or slightly curving A Wharncliffe blade has a straight edge

and an abrupt, downward-sloping spine at the tip. This blade is great for hard use, but also excels at precise detail work.



A pen knife was originally developed to trim quill pens. This blade is essentially a miniature spear point.



SPEY A spey blade was originally developed to neuter farm animals and, consequently, has a blunt tip to avoid punctures. This blade tends to be small and is good for sweeping strokes or skinning.

COMMON KNIFE STEELS

The Rockwell Rating (RC) is the scale that measures the hardness of blade steel.



RC 62-64

MagnaCut is a top-tier stainless steel that was designed specifically for knives. Utilizing CPM (Crucible Particle Metallurgy), MagnaCut offers an excellent mix of toughness, corrosion resistance, and edge retention not found on other high-hardness steels. A carefully balanced mix of alloyed elements and grain structure gives MagnaCut excellent performance, resulting in a steel that stays sharp even with heavy use. These properties make MagnaCut an outstanding choice for those who need a reliable, high-performing blade in demanding conditions.



RC 58-60

420HC is a stainless steel that offers good corrosion resistance, ease of sharpening, and toughness at a budget-friendly price. This steel is a good choice for every kind of knife from hunting to kitchen to EDC. especially where durability and ease of maintenance are key considerations.

S35VN S BOS

RC 59-61

S35VN is a high-performance stainless steel known for its excellent balance of toughness, edge retention, and corrosion resistance. Utilizing CPM, S35VN was developed to improve on the existing qualities of S30V, with enhanced roughness and easier sharpening. Highly regarded in the knife industry, this steel is a top choice for both premium folding knives and fixed blades. Its ability to sustain a sharp edge while being relatively easy to maintain makes it ideal for everyday carry and outdoor use.



RC 58-62

154CM is a modification of 440C where molybdenum has been added. With greater corrosion/wear resistance, better edge retention, and a higher Rockwell hardness than 440C, 154CM's combination of traits make this an excellent choice in pocket knives, where edge retention and ease of sharpening in the field matter.






its exceptional toughness and durability. Originally used in automotive springs, it is a popular choice for heavy-duty applications like axes and chopping tools. 5160 offers excellent resistance to shock the expense of corrosion resistance.



RC 57-59

5160 is a high-carbon steel known for D2 steel is a semi-stainless tool steel known for its excellent hardness, wear resistance, and durability. D2 is often used in applications requiring fair toughness and the ability to hold a sharp edge, such as in cutting tools and knives. However, and stress while being easy to sharpen, at it has moderate corrosion resistance compared to fully stainless steels.



COPING A coping blade is a narrow blade with an angular tip. This blade is designed to cut in tight spaces or to cut curved patterns.

This creates a very tough blade for heavy edge without an obvious tip. This blade



SHEEPSFOOT A sheepsfoot blade is similar to the Wharncliffe but has a blunter tip. This blade is great for slicing and avoiding punctures.

KNIFE FEATURES



BLOOD GROOVE/FULLER A blood groove is a longitudinal groove along the flat side of a blade that reduces the weight of the blade without reducing strength.



FLAT GRIND A flat grind gives a blade a straight taper from the spine to the edge forming a strong cutting surface. This makes the knife tougher and better-equipped for hard use.



GUTHOOK A guthook is a specialized sharpened hook, often on the spine of the blade, designed for easily slicing through animal hide without damaging internal organs. Guthooks are commonly used by hunters for field dressing game, offering precision and control during the skinning process.



HOLLOW GRIND A hollow grind gives a blade concave sides leading to the edge. This makes for a knife that is great at slicing and is easier to resharpen.



JIMPING Jimping is an area on the spine of the blade or the handle with notches designed to provide extra grip.



THUMB HOLE blade. The thumb hole allows the user to the side of a folding blade. The thumbstud interfere with the blade's cutting path.



THUMBSTUD knife one-handed.



SERRATIONS Serrations are saw-like sections on the edge of the blade. Serrations excel at cutting rope and other fibrous materials.



NAIL NOTCH

A thumb hole is a hole cut through the A thumbstud is a small metal protrusion on The nail notch is a small, semi-circular indentation on the side of the blade that open the blade one-handed and does not allows the user to quickly and easily open a provides a convenient grip point for the user's fingernail, making it easier to open the blade.

COMMON LOCKING MECHANISMS



LOCKBACK The lockback is named for the rocking lock bar visible on the spine of the handle. The lock bar engages a notch on the blade to securely lock the blade open.



FRAME LOCK The frame lock is similar to a liner lock but uses a springloaded piece of the handle/frame to lock the blade open. The lock can easily be operated one-handed.



LINER LOCK The liner lock uses a spring-loaded steel liner inside the handle to lock the blade open. The liner can be easily disengaged, allowing for one-handed closing.




BUTTON LOCK The button lock uses a spring-loaded button in the handle to lock and unlock the blade. The button lock can be found in manual folders and automatic knives.



CROSSBAR LOCK The crossbar lock uses a spring-tensioned bar perpendicular to the back of the blade to securely lock the blade open. The crossbar lock allows for ambidextrous, one-handed deployment.

SALES TERRITORIES



HEAD SALES REPS	INSIDE SALES CONTA
J HARDING ASSOCIATES (503)359-5233 or (800)735-2825 ext. 447	BECKY TAMAS (800)735-2825 ex rtamasonis@bud
GRIMSRUD-BARNES, INC (651)698-1008 or (800)735-2825 ext. 110	JEAN STEVENS (800)735-2825 ex jstevens@buckk
TACKETT BROTHERS, INC (479)586-4525 or (800)735-2825 ext. 110	Jstevens@buckk
BELHUMEUR (604)814-2161 or (800)735-2825 ext. 447	DEJA WHITE (800)735-2825 es dwhite@buckkn
UPPER CANADA SPORTS (905)562-0162 or (800)735-2825 ext. 180	
IN-HOUSE (800)735-2825 ext. 180	
IN-HOUSE (800)735-2825 ext. 110	

CTS

ONIS xt. 180 ckknives.com

xt. 110 nives.com

xt. 447 ives.com



EMAIL dealer@buckknives.com

PHONE (800)735-2825

INTERNATIONAL PHONE (208)262-0500 ext. 180

FAX (208)258-3280

ADDRESS 660 S Lochsa St Post Falls, ID 83854



KNIFE SKU INDEX

0055BRS	58	0223BLS	81	0303BLS	72	0657GRG	35	0714BLS	61	0835BRS	80
0102BKS	17	0225BLS	81	0303BRS	72	06570RG	33	0714GRS	61	0836BRS	80
0102CCS1	15	0239BKS	66	0303BRS1	72	0658GRS	35	0722BKS1	55	0838BKS	47
0103BKS	17	0239BKS1	66	0303GYS2	72	06580RS	33	0722GYS1	55	0838BKS1	49
0103CCS1	15	0239BLS	66	0325SSS	64	0659GRS	35	07220RS1	55	0838BLS	49
0104BRS1	79	0239GRS	66	0327CFS	64	06590RS	33	0726BKS	55	0838BRS1	47
0105BKS	17	0239GRS1	66	0327555	64	0660GRG	35	0726GYS	55	0838GYS1	47
0105CCS1	15	02390RS	66	0327TTS	64	06600RG	33	07260RS	55	08380RS	49
0108BRS1	79	0251BKS	67	0341RWS	59	0661GRS	35	0743CFS	65	0839BKS	47
0110BKS1	51	0251GRS	67	0346RWS	59	06610RS	33	0743SSS	65	0839BKS1	49
0110BKSA	11	0252BKS	67	0371BRS	74	0662BKS	23	0744CFS	65	0839BLS	49
0110BKSLT	11	0252TNS	67	0373BRS	74	0662BRS	24	0744SSS	65	0839BRS1	47
0110BRS	10	0254SSS	67	0375BRS	74	0662GYS	26	0790BKS	43	0839GYS1	47
0110BRSA	11	0259CFS	69	0379BRS	74	06620RS	26	0790BKS1	45	08390RS	49
0110BRSFG	10	0262GYS	69	0382BRS	75	0662WAS	24	0790GRS	43	0840BKS1	57
0110GRS5	53	02620DS	69	0385BRS	75	0663BKS	23	0790GRS1	45	0840BLS	57
01100DS2	51	0263BKS1	68	0389BRS	75	0663BRS	25	0790GYS	43	0840GRS	57
01100RS2	51	0263CPS1	68	0501RWS	58	0663GYS	26	0790GYS1	45	0841BRS1	57
0112BKS1	51	0263GYS	68	0503RWS	58	06630RS	26	0791BKS	43	0841TNS	57
0112BKSA	13	0263GYS1	68	0630BKS	30	0663WAS	25	0791BKS1	45	0843BKS	56
0112BRS	13	0264GYS	69	0630GRS	29	0664BKS	23	0791GRS	43	0843GRS	56
0112BRSA	13	0284BKS	38	06300RS	30	0664BRS	25	0791GRS1	45	0853BRS	80
0112BRSFG	13	0284CMS24	38	0631BKS	30	0664GYG	27	0791GYS	43	0863BRS	80
0112GRS5	53	0284CMS9	38	0631BKSVP	28	0664GYS	27	0791GYS1	45	0870BKX	64
01120DS2	51	0285BKS	39	0631GRS	29	06640RG	27	0811BKS	62	0870CMX	64
01120RS	51	0285CMS24	39	0631GRSVP	28	06640RS	27	0811CMS	62	97017	85
0113BRS	18	0285CMS9	39	06310RS	30	0664WAS	25	0811GYS	62	97032	84
0117BKS	17	0286BKS	39	06310RSVP	28	0684BKS	37	0812BLX	63	97043	84
0117CCS1	15	0286CMS24	39	0635BKS	31	0685BKG	37	0812BRX	63	97044	84
0119BKS	17	0286CMS9	39	0635GRS	29	0685BKS	37	08120RX	63	97070	85
0119CCS1	15	0301BKS1	73	06350RS	31	0691BKG	19	0813BKS	62	97076	85
0120BKS	17	0301BLS	73	0636BKS	31	0692BKS	19	0813CMS	62	97077	85
0120CCS1	15	0301BRS	73	0636GRS	29	0713BLS	61	0813GYS	62	97078	85
0191BRG	19	0301BRS1	73	06360RS	31	0713CPS	61	0814BLS	63	97081	84
0192BRS	19	0301GYS2	73	0656GRS	35	0713GRS	61	0814BRS	63	97082	84
0220BLS	81	0303BKS1	72	06560RS	33	0714BKS	61	08140RS	63		

©2024 Buck Knives, Inc. No part of this catalog may be used or reproduced in any form, for any purpose without the express written consent of Buck Knives, Inc. Certain utility and design patents issued to Buck Knives are noted, however, Buck Knives holds additional patents pending, design and utility patents both domestic and foreign on products in this catalog. All trademarks indicated are owned and/or registered by Buck Knives, Inc. except as follows: DynaFlex and VersaFlex are a registered trademarks of Polyone Corp.; Micarta is a registered trademark of Industrial Laminates/Norplex, Inc.; Mossy Oak, Mossy Oak Break-Up COUNTRY and Mossy Oak Blaze are registered trademarks of Haas Outdoors, Ind.; FlipStik and JewelStik are registered trademarks of Hewlett Manufacturing; Cerakote is a registered trademark of NIC Industries, Inc. an Oregon corporation; DymaLux®is a registered trademark of Cousineau Wood Products of Maine, LLC.

Knife laws and regulations can vary significantly from location to location. As such, certain styles, sizes and blades may not be permitted in certain locations and areas. Buck Knives produces many different types of knives for a wide variety of legitimate everyday use. However, due to the complex and ever changing nature of knife laws and regulations, it is not possible for Buck Knives to be aware of specific prohibitions in areas where its knives may be purchased, carried, or used. It is the responsibility of the buyer/user to investigate, understand and comply with any and all laws and regulations that may apply to his or her area. The buyer/user is solely responsible for any claims arising from violations of these laws or regulations or any unintended use or misuse of the product.

The sale of automatic knives is federally regulated. Always check permissibility within your state or locality as non-federal personnel may be precluded from ownership or use by state laws. NO EXCEPTIONS WILL BE MADE. Purchase of automatic knives must be preceded by the submission of an Automatic Knife Acknowledgement Form. Shipping of Automatic Knives: Automatic knives shipped by Buck Knives, Inc will be sent via common courier and CANNOT be shipped by the U.S. Postal Service. All returns of automatic knives must be shipped via common courier as well, and not by the U.S. Postal Service. Our policy requires that all automatic knives require a signed Automatic Knife Acknowledgement Form.

BUCK KNIVES, INC.

660 S LOCHSA STREET POST FALLS, ID 83854

WEB BUCKKNIVES.COM

PHONE 800.735.2825 208.262.0500

EMAIL DEALER@BUCKKNIVES.COM

MODEL 12065 CATALOG 14241 PRINTED IN THE USA

